June 15, 1993

Leon E. Berggren

2370 S. 2300 W.

Salt Lake City, UT 84110

Bear River Resource Area Manager Bureau of Land Management

5/003/020

JUN 2 1 1993

DIVISION OF O'L GAS & MINING



This is to advise you of a new building stone quarry operator doing business in the area. The operator is Bill Hamm of Idaho Quartzite Corp. He has been operating out of the Nampa-Caldwell area but has recently purchased a home in Oakley so you should be able to reach him.

He is doing quarry work on property owned or under claim by D. & K. Nelson from the Lynn, Utah area. He is also working in a quarry owned by Pickett Ranch and Sheep Co. of Oakley, Idaho (208-862-3482). This is an extensive working area that has been operated by American Stone Co. of Salt Lake City and others in the past. The quarry is visible from the road and is located about 1/2 mile west on the road that goes to Grouse Creek from the old junction school building in the Lynn area. See Yost Quadrangle Topo map.

I trust that you will follow up on this person since they have big ideas and past reputation is not good. If you need additional information call me or Bryce Tripp, State of Utah, Department of Natural Resources, Utah Geological Survey, 467-7970 who is familiar with most of these operations.

Sincerely

Gary Mullar

da

enclosures


cc: Tony Gallegos, Reclamation Engineer, State of Utah, Dept. of Natural Resources, 355 W. North Temple, S.L.C., UT 84180-1203

nullan



NORTHERN STONE SUPPLY, INC.

Producing Quality Building Stone Products for Worldwide Distribution P.O. BOX 249 / OAKLEY, IDAHO 83346 / (208) 862-3353 / FAX (208) 862-3846



UTAH STONE COMPANIES

Large Active Companies

Operator/Address

Stone and Services Provided



American Stone and Building Inc. Attn. Lon Thomas 4040 South 300 West Murray, UT 84107 (801)-262-4300

Hansen Stone Quarries Attn. J. Weston Hansen 8809 South 700 West Sandy, UT 84070 (801)-255-2911

Northern Stone Supply Attn. Gary Mullard Box 249 Oakley, ID 83346 (208)-862-3353



State Stone Corp., Inc. Attn. Keith P. Mackay 4640 South 300 West Murray, UT 84107 (801)-262-9323 Quarries quartzite, onyx marble, red sandstone, and tan sandstone in Utah, and quarries and sells stone from Idaho and Colorado. Also produces landscape stone. Is a retail outlet for numerous stones produced in the western U.S.

Quarries reddish brown and tan sandstones. Saws and carves sandstone.

Quarries green quartzite from Utah. Produces large amounts of white, light grey and dark grey quartzite from other quarries near Oakley, Idaho. Also quarries other stone types from non-Utah locations.

Produces gold, white, light grey, and dark grey quartzite.

Quarries and cuts tan and red sandstone and white oolitic limestone from Utah. Imports and cuts stone from other states. Is a retail outlet for numerous stones produced in western U.S. Also produces and sells landscape and ornamental stone.

Small Active or Intermittently Active Companies

Operator/Address

Diversified Marketing Services Attn. Steven Sorenson P.O. Box 1181 Fillmore, UT 84631 (801)-743-5842

Feller Holding Corporation Attn. Alan Feller 1051 North 1100 West St. George, UT 84770 (801)-674-0169

Idaho Quartzite Corp. Attn. Bill Hamm

Stone and Services Provided

Primarily deal in ornamental and landscape stone but also produce banded tuff and scoria for veneer stone.

Primarily deal in ornamental and landscape stone but also quarry and sell banded tuff, travertine, onyx marble. They also distribute other stones from the region.

They produce quartzite tiles and have intermittently quarried stone from their own quarries.

RECENTLY ACTIVE STONE QUARRIES OF UTAH

Quartzite Quarries

| | STONE PRODUCED | Veneer stone, gold, white and charcoal. Abundant 3/8 to 7/8 inch thick. A favorable percentage of large slabs. | Veneer stone, medium grey with bronze and gold banding. Slabs tend to be thin. | Veneer stone, white and gold; reddish brown and brownish black on weathered surfaces. Slabs average 3/8 to 1 1/4 inch thick. Slabs 1 by 2 feet common. | Vencer and flagstone, light gold and dark gold. Slabs average 3/4 to 2 inches in thickness and as much as 8 inches thick. Two square foot slabs common, occasional slab up to 3 square feet. | Veneer stone, mostly white with some gold and reddish brown. | Vencer stone and flagstone, gold and light grey with slight reddish brown banding. Thickness averages 1/2 to 1 1/4 inch. A good percentage of 2 by 3 foot sheets. | Veneer stone and flagstone, light grey to medium greywith | slight reddish brown banding. Slab thickness varies from 1/4 to 3 inches and averages 1/2 inch. The quarry contains slabs as large as 4 by 4 feet. | Veneer stone, flagstone, and ashlar, white with only slight micrecous sheen, some with slight green color or reddish brown banding. Stone varies from 3/4 to 9 inches thick and averages 3 inches. The larges slabs present are 3 by 3 feet. | Veneer stone and flagstone, orangish light grey with intricate reddish brown banding. Stone ranges from 1/4 to 4 |
|---------|----------------|--|--|--|--|--|---|---|--|--|--|
| | OPERATOR | STATE STONE | STATE STONE | AMERICAN STONE | D. AND K. NELSON | AMERICAN STONE | STATE STONE | D. AND K. NELSON | | UTAH BUILDING STONE | UTAH BUILDING STONE |
| | SEC | 017W NEI/4SEI/4NEI/4, 21 | 017W NE1/4NW1/4SE1/4, 22 | NE1/4NW1/4NE1/4, 28 | 014N 017W SE1/4NW1/4NE1/4, 28 | 017W SW1/4NE1/4SE1/4, 33 | SE1/4NW1/4SE1/4, 34 | SE1/4SW1/4SE1/4, 02 | | SE1/4SE1/4, 08 | 014N 016W NE1/4NE1/4NW1/4, 29 |
| | RNG | | | W110 | W710 | W110 | W110 | W110 | | W910 | W910 |
| | TWN | 014N | 014N | 014N | 014N | 014N | 014N | 013N | | 014N | 014N |
| OCATION | QUARRY NAME | STARLIGIIT STONE | HOLT BASIN EAST | AMERICAN STONE NORTH | RIDGE CREST | AMERICAN STONE SOUTH | SOUTH HOLT BASIN (POLE CREEK) | LOWER BASIN CREEK | | UPPER NARROWS | LYNN CREEK |
| 1001 | NO. | * | 2 | * | 4 | ~ Ж | « * | 7 | | * | * |